

DNA Test Report

Genetic Diversity (Heterozygosity)

Princess Patches's Percentage of Heterozygosity

38%

Princess Patches's genome analysis shows an average level of genetic heterozygosity when compared with other random-bred cats.

Typical Range for Domestic Cats

29 - 41%

DNA Test Report

Health Conditions Tested

Genetic Condition	Gene	Risk Variant	Copies	Result
Factor XII Deficiency (Variant 2)	F12	Deletion	1	Notable
Acute Intermittent Porphyria (Variant 1)	HMBS	Deletion	0	Clear
Acute Intermittent Porphyria (Variant 2)	HMBS	G>A	0	Clear
Acute Intermittent Porphyria (Variant 3)	HMBS	Insertion	0	Clear
Acute Intermittent Porphyria (Variant 4)	HMBS	Deletion	0	Clear
Acute Intermittent Porphyria (Variant 5)	HMBS	G>A	0	Clear
Autoimmune Lymphoproliferative Syndrome (Discovered in British Shorthair)	FASL	Insertion	0	Clear
Burmese Head Defect (Discovered in the Burmese)	ALX1	Deletion	0	Clear
Chediak-Higashi Syndrome (Discovered in the Persian)	LYST	Insertion	0	Clear
Congenital Adrenal Hyperplasia	CYP11B1	G>A	0	Clear
Congenital Erythropoietic Porphyria	UROS	G>A	0	Clear
Congenital Myasthenic Syndrome (Discovered in the Devon Rex and Sphynx)	COLQ	G>A	0	Clear
Cystinuria Type 1A	SCL3A1	C>T	0	Clear
Cystinuria Type B (Variant 1)	SCL7A9	C>T	0	Clear
Cystinuria Type B (Variant 2)	SCL7A9	G>A	0	Clear
Cystinuria Type B (Variant 3)	SCL7A9	T>A	0	Clear
Dihydropyrimidinase Deficiency	DPYS	G>A	0	Clear
Earfold and Osteochondrodysplasia (Discovered in the Scottish Fold)	TRPV4	G>T	0	Clear
Factor XII Deficiency (Variant 1)	F12	Deletion	0	Clear
Familial Episodic Hypokalemic Polymyopathy (Discovered in the Burmese)	WNK4	C>T	0	Clear
Glutaric Aciduria Type II	ETFDH	T>G	0	Clear
Glycogen Storage Disease (Discovered in the Norwegian Forest Cat)	GBE1	Insertion	0	Clear

DNA Test Report

Health Conditions Tested (continued)

Genetic Condition	Gene	Risk Variant	Copies	Result
GM1 Gangliosidosis	GLB1	G>C	0	Clear
GM2 Gangliosidosis	GM2A	Deletion	0	Clear
GM2 Gangliosidosis Type II (Discovered in Domestic Shorthair cats)	HEXB	Insertion	0	Clear
GM2 Gangliosidosis Type II (Discovered in Japanese domestic cats)	HEXB	C>T	0	Clear
GM2 Gangliosidosis Type II (Discovered in the Burmese)	HEXB	O>O	0	Clear
Hemophilia B (Variant 1)	F9	C>T	0	Clear
Hemophilia B (Variant 2)	F9	G>A	0	Clear
Hyperoxaluria Type II	GRHPR	G>A	0	Clear
Hypertrophic Cardiomyopathy (Discovered in the Maine Coon)	MYBPC	G>C	0	Clear
Hypertrophic Cardiomyopathy (Discovered in the Ragdoll)	MYBPC	C>T	0	Clear
Hypotrichosis (Discovered in the Birman)	FOXN1	Deletion	0	Clear
Lipoprotein Lipase Deficiency	LPL	G>A	0	Clear
MDR1 Medication Sensitivity	ABCB1	Deletion	0	Clear
Mucopolysaccharidosis Type I	IDUA	Deletion	0	Clear
Mucopolysaccharidosis Type VI	ARSB	T>C	0	Clear
Mucopolysaccharidosis Type VI Modifier	ARSB	G>A	0	Clear
Mucopolysaccharidosis Type VII (Variant 1)	GUSB	G>A	0	Clear
Mucopolysaccharidosis Type VII (Variant 2)	USB	C>T	0	Clear
Myotonia Congenita	CLCN1	G>T	0	Clear
Polycystic Kidney Disease (PKD)	PKD1	C>A	0	Clear
Progressive Retinal Atrophy (Discovered in the Abyssinian)	CEP290	T>G	0	Clear
Progressive Retinal Atrophy (Discovered in the Bengal)	KIF3B	G>A	0	Clear

DNA Test Report

Health Conditions Tested (continued)

Genetic Condition	Gene	Risk Variant	Copies	Result
Progressive Retinal Atrophy (Discovered in the Persian)	AIPL1	C>T	0	Clear
Pyruvate Kinase Deficiency	PKLR	G>A	0	Clear
Sphingomyelinosis (Variant 1)	NPC1	G>C	0	Clear
Sphingomyelinosis (Variant 2)	NPC2	G>A	0	Clear
Vitamin D-Dependent Rickets	CYP27B1	G>T	0	Clear

DNA Test Report

Coat Type (continued)

Genetic Trait	Gene	Variant	Copies	Result
Hairlessness (Discovered in the Sphynx)	KRT71	re ^{hr}	0	No effect
Rexing (Discovered in the Devon Rex)	KRT71	re ^{dr}	0	No effect
Rexing (Discovered in the Cornish Rex and German Rex)	LPAR6	r	0	No effect

Tail Length

Genetic Trait	Gene	Variant	Copies	Result
Short Tail (Variant 3)	HES7	jb	0	No effect
Short Tail (Variant 1)	T	C1199del	0	No effect
Short Tail (Variant 2)	T	T988del	0	No effect

Extra Toes

Genetic Trait	Gene	Variant	Copies	Result
Polydactyly (Variant 1)	LIMBR1	HW	0	No effect
Polydactyly (Variant 2)	LIMBR1	UK1	0	No effect
Polydactyly (Variant 3)	LIMBR1	UK2	0	No effect

DNA Test Report

Blood Type

Blood Type

A
(Most common)

Genotype

A/b
(Carrier for Blood Type B)

Transfusion Risk

Moderate
Princess Patches has the most common blood type. She can be transfused with Type A blood.

Breeding Risk

Low
If breeding, Princess Patches has a low risk of blood type incompatibility with nursing kittens.

Variant Tested

b variant 1
b variant 2
b variant 3
c variant - Causes AB Blood Type

Description

(Common b variant)
(Discovered in Turkish breeds)
(Discovered in Ragdolls)
(Discovered in Ragdolls)

Copies

0
0
1
0

DNA Test Report

Coat Color

Genetic Trait	Gene	Variant	Copies	Result
Charcoal (Discovered in the Bengal)	ASIP	A ^{Pb}	0	No effect
Solid Color	ASIP	a	2	Solid color hairs likely
Partial and Full White	KIT	W or w ^s	1	Partly or fully white coat likely
Amber (Discovered in the Norwegian Forest Cat)	MC1R	e	0	No effect
Russet (Discovered in the Burmese)	MC1R	e ^r	0	No effect
Dilution	MLPH	d	1	No effect
Albinism (Discovered in Oriental breeds)	TYR	c ^a	0	No effect
Colorpoint (Discovered in the Burmese)	TYR	c ^b	2	Burmese colorpoint pattern likely
Colorpoint (Discovered in the Siamese)	TYR	c ^s	0	No effect
Mocha (Discovered in the Burmese)	TYR	c ^m	0	No effect
Chocolate	TYRP	b	1	No effect
Cinnamon	TYRP	b ^l	0	No effect

Coat Type

Genetic Trait	Gene	Variant	Copies	Result
Glitter	Confidential	—	0	No effect
Long Hair (Discovered in many breeds)	FGF5	M4	1	Long coat possible, short coat likely
Long Hair (Discovered in the Norwegian Forest Cat)	FGF5	M2	0	No effect
Long Hair (Discovered in the Ragdoll and Maine Coon)	FGF5	M3	0	No effect
Long Hair (Discovered in the Ragdoll)	FGF5	M1	1	Long coat possible, short coat likely
Lykoi Coat (Variant 1)	HR	hr ^{Ca}	0	No effect
Lykoi Coat (Variant 2)	HR	hr ^{VA}	0	No effect